

Ares hinnasto 2022

1.8.2022 alkaen

Suosittelut paksuus on ensin. Suluissa on vaihtoehtoiset**xxxx merkittyjä ei valmisteta**

Kaliiperi	paksuus	Määrä / pakkaus	Vahattu lyijy	avoin perä EPRX	umpiperä CEPRX
7,65/78 RN FB NG	.308 (.309)	500	xxxx	99,55	108,60
Esim: 30 Luger / 7,65 Para					
.32/78 RN BB	.313 (.314)	500	90,50	99,55	108,60
.32/100 RN BB	.313 (.314)	500	97,74	104,98	115,84
.32/100 WC BB SGG	.313 (.314)	500	97,74	104,98	115,84
.380ACP/95 RN BB	.356 (.355)	500	99,55	106,79	117,65
9/115 RN BB	.356 (.355)	500	88,69	97,74	106,79
9/115 RN FB NG	.356 (.355)	500	xxxx	97,74	106,79
9/122 FP BB	.356 (.355)	500	94,12	101,36	112,22
9/122 FP BB NG	.356 (.355)	500	xxxx	101,36	112,22
9/125 RN CN BB	.356 (.355)	500	94,12	101,36	112,22
9/125 RN SBB NG	.356 (.355)	500	xxxx	101,36	112,22
9/125 FP FB NG	.356 (.355)	500	xxxx	101,36	112,22
9/130 RN CN BB NG	.356 (.355)	500	xxxx	103,17	114,03
9/130 RN FB	.356 (.355)	500	95,93	103,17	114,03
9/130 RN BB NG	.356 (.355)	500	xxxx	103,17	114,03
9/135 RN BB	.356 (.355)	500	97,74	104,98	115,84
9/135 RN BB NG	.356 (.355)	500	xxxx	104,98	115,84
9/135 RN BB NG	.356 (.355)	500	xxxx	104,98	115,84
9/135 FP FB	.356 (.355)	500	97,74	104,98	115,84
9/135 FP FB NG	.356 (.355)	500	xxxx	104,98	115,84
9/147 FP BB	.356 (.355)	250	103,17	112,22	121,27
9/147 FP BB NG	.356 (.355)	250	xxxx	112,22	121,27
9/152 FP BB NG	.356 (.355)	250	xxxx	114,03	123,08
9 .38S/145 RN BB	.356 (.357)	250	103,17	112,22	121,27
9 .38S/147 RN FB NG	.356 (.357)	250	xxxx	0,00	0,00
9 .38S/150 SWC BB	.356 (.357)	250	104,98	114,03	123,08
9 .38S/150 RN FB	.356 (.357)	250	104,98	114,03	123,08
9 .38S/150 RN FB NG	.356 (.357)	250	xxxx	114,03	123,08
9 .38S/154 RN FB NG	.356 (.357)	250	xxxx	115,84	124,89
9 .38S/160 RN BB	.356 (.357)	250	108,60	117,65	126,70
38S RN luodit on suippoja. Solahtaa rullaan helpommin IPSC/IDPA revolverikäytössä.					
9 Makarov/93 RN	.365	500	97,74	104,98	115,84
.357/105 FP BB	.358 (.357)	500	85,07	94,12	103,17
.357/148 WC DBB	.358 (.357)	250	103,17	112,22	121,27
.357/148 WC DBB SGG	.358 (.357)	250	103,17	112,22	121,27
.357/158 RN BB	.358 (.357)	250	108,60	117,65	126,70
.357/158 RN FB NG	.358 (.357)	250	xxxx	117,65	126,70
.357/158 FP BB	.358 (.357)	250	108,60	117,65	126,70
.357/158 SWC BB	.358 (.357)	250	108,60	117,65	126,70
.357/180 FP BB	.358 (.357)	250	119,46	126,70	137,56

.357/180 RN FP BB	.358 (.357)	250	119,46	126,70	137,56
.357/185 FP BB NG	.358 (.357)	250	xxxx	128,51	139,37
.357/230 FP BB	.358 (.357)	250	148,42	157,47	166,52
.40/132 FP FB	.401 (.400, .402)	250	97,74	104,98	115,84
.40/140 FP BB	.401 (.400, .402)	250	101,36	108,60	119,46
.40/145 SWC FB	.401 (.400, .402)	250	103,17	112,22	121,27
.40/150 SWC FB NG	.401 (.400, .402)	250	xxxx	114,03	123,08
.40/150 FP FB NG	.401 (.400, .402)	250	xxxx	114,03	123,08
.40/155 RN SWC BB	.401 (.400, .402)	250	106,79	115,84	124,89
.40/155 RN FB	.401 (.400, .402)	250	106,79	115,84	124,89
.40/155 SWC BB	.401 (.400, .402)	250	106,79	115,84	124,89
.40/165 RN FB	.401 (.400, .402)	250	110,41	119,46	128,51
.40/170 SWC BB	.401 (.400, .402)	250	114,03	121,27	132,13
.40/180 FP BB	.401 (.400, .402)	250	119,46	126,70	137,56
.40/180 FP BB NG	.401 (.400, .402)	250	xxxx	126,70	124,89
.40/200 FP BB	.401 (.400, .402)	250	130,32	139,37	148,42
.40/200 FP FB NG	.401 (.400, .402)	250	xxxx	139,37	148,42
.40/200 RN BB	.401 (.400, .402)	250	119,46	139,37	148,42
.40/220 FP BB	.401 (.400, .402)	250	141,18	148,42	159,28
.41/225 RN FP BB	.411	250	142,99	152,04	161,09
.44-40/200 RN FP BB	.427	250	130,32	139,37	148,42
.44-40/240 RN FP BB	.427	250	155,66	162,90	173,76
.44/240 SWC BB	.430 (.429)	250	155,66	162,90	173,76
.44/240 RN BB	.430 (.429)	250	155,66	162,90	173,76
.44/300 FP BB	.430 (.429)	150	213,58	220,82	231,68
.45/155 SWC BB	.452 (.451)	250	106,79	115,84	124,89
.45/180 SWC BB	.452 (.451)	250	119,46	126,70	137,56
.45/200 RN BB	.452 (.451)	250	130,32	139,37	148,42
.45/200 SWC BB	.452 (.451)	250	130,32	139,37	148,42
.45/200 SWC BB NG	.452 (.451)	250	xxxx	139,37	148,42
.45/225 FP BB	.452 (.451)	250	142,99	152,04	161,09
.45/230 RN BB	.452 (.451)	250	148,42	157,47	166,52
.45/230 RN BB NG	.452 (.451)	250	xxxx	157,47	166,52
.45/235 RN BB	.452 (.451)	250	150,23	159,28	168,33
.45LC/200 RN FP BB	.454 (.452)	250	130,32	139,37	148,42
.45LC/250 RN FP BB	.454 (.452)	250	162,90	171,95	181,00
.45-70/300 RN FP BB	.459	150	213,58	220,82	231,68
.45-70/405 FP SBB	.459	150	333,04	340,28	351,14

.45-70/500 FP BB	.459	100	409,06	418,11	427,16
.50/330 RN FP BB	.503 (.501)	150	329,42	338,47	347,52
.50/400 RN FP FB	.503 (.501)	150	363,81	372,86	381,91
.25-20/85 RN FP BB	.259	500	95,93	103,17	114,03
.30/165 RN FP BB	.309 (.311)	250	124,89	133,94	142,99
.30/195 FB	.309 (.311)	250	139,37	146,61	157,47
.30/220	.309 (.311)	250	xxxx	162,90	171,95
.32-20/120 RN FP BB	.311 (.313, .314)	500	104,98	114,03	123,08
.32-40/170 RN FP BB	.324 (.321)	250	126,70	135,75	144,80
.38-40/180 RN FP BB	.401 (.400, .402)	250	130,32	139,37	148,42